Tuesday, 11/6/2007 1:25:46 PM Kim Johnston **Process Sheet Drawing Name** : WEARSHOE : CU-DAR001 Dart Helicopters Services Customer Job Number : 35563 : 12734 **Estimate Number** : NIA : D353525 Part Number P.O. Number S.O. No. : N)A - D3535 REV B : 11/6/2007 **Drawing Number** This Issue · N/A Project Number Prsht Rev. Type : SMALL /MED FAB **Drawing Revision** First Issue : 34317 Material Previous Run : 11/20/2007 Each **Due Date** 30 Um: Written By Checked & Approved By New Issue 07-02-15 JLM Comment : Est Rev.A Est Rev:B As per Rev B 07-08-31 JLM Verified By:EC **Additional Product** Job Number: Description: Seq. #: 304/316 .040 Sheet M304S20GA 1.0 *Qty.: 0.5355 sf(s)/Unit Total : 304/316 .040 Sheet 4.8(9) Comment: Qtv.: 16.0650 sf(s) (M304S20GA) 106027 X 21 Batch: WATER JET 2.0 Comment: FLOW WATER JET 1-Cut as per wg D3535 Dwg Rev: B 07-11-13 Prog Rev:_ B0-11-13 2-Deburr if necessary INSPECT PARTS AS THEY COME OFF MACHINE 3.0 QC2 B 07-11-13 Comment: INSPECT PARTS AS THEY COME OFF MACHINE 4.0 QC8 SECOND CHECK Comment: SECOND 5.0 BRAKE NC



NC BRAKE



Comment: NC BRAKE

1-Form on CNC Brake as per Dwg D3535 using Jigs DT8261and DT8326

2-Form joggle on Punch as per Dwg D3535 using Jig DT8158Identify as D3535-25

Dart Ae	rospace	e Lta								
W/O:		WORK ORDER CHANGES								
DATE	STEP		PROC	EDURE CHANGE		Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
									* 1	-
			· · · · · ·							
Part No	:	PA	R #:	Fault Category:	NCF	R: Yes	No DQ	4: <u>D</u>	Date: Z	7/11/02
		**		t.		QA:	N/C Closed	d:	_ Date:	
			181/	DIV ODDED NON OOM	FORMANOE	/\!\	D)			

ΕP		T			. *					
EP	Description of NC		Corrective Action Section B	.:	Verification A	Annroyal	Ammental			
	Description of NC Section A		Initial Action Description Sign & Chief Eng Chief Eng Date		Section C	Approval Chief Eng	Approval QC Inspector			
					•					
,			\$ ·							
		· .								
		i ve								
				7		!	• •			
			Section A Initial Chief Eng	Section A Initial Chief Eng Chief Eng	Section A Initial Chief Eng Chief Eng Sign & Date	Section A Initial Chief Eng Chief Eng Section C Section C Section C	Section A Initial Chief Eng Chief Eng Chief Eng Section C Chief Eng Chief En			

NOTE: Date & initial all entries

Tuesday, 11/6/2007 1:25:46 PM ate: ∕Úser: ⁴ Kim Johnston **Process Sheet** Customer: CU-DAR001 Dart Helicopters Services Drawing Name: WEARSHOE Part Number: D353525 Job Number: 35563 Job Number: Seq. #: Description: Machine Or Operation: INSPECT WORK TO CURRENT STEP 6.0 QC5 Comment: INSPEC WORK TO CURRENT STEP POWDER COATING M 105642 Comment: POWDER COATING Powder Coat Grey Sandtex (Ref: 4.3.5.6) as per QSI 005 4.3 INSPECT POWDER COAT/CHEMICAL CONVERSION 8.0 QC3 Comment: INSPECT POWDER COAT/CHEMICAL CONVERSION PACKAGING RESOURCE Comment: PACKAGING RESOURCE #1 Identify and Stock Location: 10.0 QC21 Comment: FINAL INSPECTION/W/O RELEASE W A.l. 22 Job Completion

Dart Ae	rospace Li	td								
W/O:			V	VORK ORDER CHA	NGES					
DATE	STEP	PROC	CEDURE CH	IANGE		Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
						-				
		-								
Part No	:	PAR #:	_ Fault Ca	tegory:	NC					
NCR:		W	ORK OR	DER NON-CONFOI	RMANCE			u	Date:	
		Description of NC		Corrective Action Section B			Verification		Approval	Approval
DATE	STEP	Section A	Initial Chief Eng	Action Descript Chief Eng	on	Sign & Section C			QC Inspector	
								1		
		ne.								
				1						

NOTE: Date & initial all entries


DATE


07.04.17

42.40.60

RELEASED

四





D3535-31 BEND DETAIL

UNCONTROLLED COPY SUBJECT TO AMENDMENT 8 SHOP COPY ENGINEERING MITHOLT NOTICE RETURN TO

봀

DOCUMENT

ᄶ

Copyright © 2006 by DART AEROSPACE USA, INC.


PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.

윢

COPIED

- 1) MATERIAL: AISI 304/316 SS SHEET PER AMS 5513 OR AMS 5524, 20 GAUGE (0.038 THICK) (REF DART SPEC M304S20GA)
 2) FINISH: POWDER COAT GREY SANDTEX (4.3.5.6) PER QSI 005 4.3


- 3) PART IS SYMMETRICAL ABOUT ©
 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- BREAK ALL SHARP EDGES TO 0.010 MAX
- IDENTIFY WITH DART P/N USING WHITE FINE POINT PAINT MARKER
- 8) SEE PAGE 7 FOR DETAILS AND SECTION



D3535-33F FLAT PATTERN




		۲
	WEARSHOE 1:10	_
		_
	TITLE SCALE	_
		⊢
	D3535 SHEET 4 OF 7	
	DRAWING NO. REV. B	=
	PORT HADLOCK, WA	-
-	DART AFROSPACE LISA INC	-
		•



h2.10.00

DESIGN B	DRAWN BY	DART	DART AEROSPACE USA, INC.	SA, INC.
CHECKED **	APPROVED "//	DRAWING NO.		REV. B
¥		D3535		SHEET 7 OF 7
DATE		31ML		SCALE
07.04.17		WEARSHOE		1:1



Copyright © 2006 by DART AEROSPACE USA, INC.
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.

DART AEROSPACE LTD	Work Order:	25563
Description: WEAR SHOE	Part Number: T	
Inspection Dwg:D3535-35 Rev: B		Page 1 of 1

300 4 .010 .300 x		FIRST	ARTICLE IN	ISPECTION	ON CHE	CKLIST	
Dimension Tolerance Dimension Accept Reject Method of Inspection Comments		X	First Artic	cle	Proto	type	
Dimension Dimension Dimension Nature Inspection Doments	Drawing	Tolorono	Actual			Method of	
300 4 .010 .300 k .300 k .	Dimension	loierance	Dimension	Accept	Reject		
300 4 010 303 2	Ø ,188	100 200.+	,189	*			
(.co	:300	4010	.302				
(c.co	- 300	1010	.302	≻ e			
1.75	6.00		1 -				1
12.750							3
1.885	12.750	1/- ,010			,		
1.937	1.885	4010		! ' i			. A.
1.450 7610 1.450 8 10.906 7610 10.906 8 16.356 7610 16.350 8 31.806 7610 31.806 8 31.806 7610 31.806 8 31.806 7610 31.806 8 31.806 7610 31.806 8 31.806 7610 31.806 8 31.806 7610 31.806 8 31.806 7610 31.806 8 31.806 7610 7610 7610 7610 31.806 7610 7610 7610 31.806 7610 7610 7610 31.806 7610 7610 7610 31.806 7610 7610 7610 31.806 7610 7610 7610 31.806 7610 7610 7610 31.806 7610 7610 7610 31.806 7610 7610 7610 31.806 7610 7610 7610 31.806 7610 7610 7610 31.806 7610 7610 31.806 7610 7610 7610 31.806 7610 7610 7610 31.806 7610 7610 7610 31.806 7610 7610 7610 31.806 7610 7610	1.937	4/010	1.937	1			
S.450	1.450	4010					
10.966	5.450	7010					
16.350 7. GIO 16.350 % 21.808 7. GIO 21.800 % Prototype Approval: Date: O1-1(-3) Date: Date: O1-1(-3) Date: Prototype Approval: Date: Prototype Approv	10.906	4010					
Prototype Approval: Date: 01-1(-03) Date: 01-1(-03) Date: 01-1(-03) Date: 04-(-15) Prototype Approval: Date: 04-(-15) Date: 04-(-15) Prototype Approval: 04-(-15) Date: 04-(-15) Date	16.350	th .610					
easured by: B Audited by: Prototype Approval: Date: Date: O1-1(-B) Date: Date: Revised by Approved	71.80a	4/	- 1	T			
Prototype Approval: Date: 01-1(-0) Date: 04(0.15) Prototype Approval: Date: Prototype Approval: Pate: Prototype Approval: Date: Prototype Approval:							
easured by: B Audited by: Prototype Approval: Date: 07-1(-03 Date: 04-((-15) Date: Paperoval) Ev Date Change Revised by Approved							
easured by: B Audited by: Prototype Approval: Date: 07-1(-03 Date: 04-((-15) Date: Paperoval) Ev Date Change Revised by Approved						•	
easured by: B Audited by: Prototype Approval: Date: 07-1(-03 Date: 04-((-15) Date: Paperoval) Ev Date Change Revised by Approved		- (*-					
easured by: Date: 01-1(-0) Prototype Approval: Date: 01-1(-0) Date: 01-1(-0) Prototype Approval: Pate: 01-1(-0) Prototype Approval: Approved Approved							
easured by: Date: O1-1(-C) Prototype Approval: Date: Date: Date: Prototype Approval: Date: Pate: Date: Date: Date: Date: Prototype Approval: Date: Date: Date:							
Date: O1-1(-B Date: O4-((-/5 Date: Approved)							
Date: O1-1(-C) Date: O4-((-(5)) Prototype Approval: O4-((-(5)) Pate: Date: Prototype Approval: O4-((-(5)) Prototype Approv							
Date: O1-1(-C) Date: O4-((-(5)) Prototype Approval: O4-((-(5)) Pate: Date: Prototype Approval: O4-((-(5)) Prototype Approv							
Date: O1-1(-B Date: O4-((-/5 Date: Approved)		,					
Date: O1-1(-B Date: O4-((-/5 Date: Approved)				\mathcal{A}^{\perp}			· · · · · · · · · · · · · · · · · · ·
Pate: 01-1(-B Date: 04-((-15) Date: Pate:	Measured by: R	Au	dited by: /		Prot	otype Appro	oval: ////
ev Date Change Revised by Approved	Date: 6	1-11-B	Date:	CA-11-15		C	Pate:
A Now looks Approved	Rev Date	Change		- · · · · · · ·			
KJ/JLM KJ/JLM		New Issue	7				

